


PRODUCT CHART

Effective: January 2021




MERCIER 2021 Product Chart









Co	esign+	HARD MAPLE RED OAK (62)	IVOOR (28)	MADERA (MD)	SHADOW (17)	TREASURE (30)	STONE (21)	ECLIPSE (03)	SMOKY BROWN (26)	TOAST BROWN (09)	CRÈME BRÛLÉE (25)	AMARETTO (15)	GUNSTOCK (12)	BARISTA (BT)	JAVA (14)	AUTUMN LEAF (24)	ARABICA (02)	BARREL (27)	MEDIUM BROWN (07)	CHOCOLATE BROWN (18)	MYSTIC BROWN (20)
						RED	OAK									HARD	MAPLE				
	Platforms d dimensions			Grades					Glosses					Grades					Glosses		
	2 1/4" (3/4")			SB DS				(SMBD	В				SB DS					SMI		
SOLID	3 ¼" (¾")			SB DS					SMBD					SB DS					S M I		
	4 ¼" (¾")			SB 0S				(SMBO					SB DS					S M I		
	3 ¼" (½")			SB DS					SMBD					SB DS					S M I		
	5" (½")			SB DS					SMBD					SB 0S					S M I		
ENGINEERED	5" (¾")			SB DS					SMBOO					SB DS					S M I		
LIMINEERED	6 ½" (½")			AT					SMBOO					AT					S M D		
	6 ½" (¾")			AT					SMBD					AT					S M I		
	8 1/8" (3/4")			AT					SMBD					AT					S M I		
HERRINGBONE	5" x 18" (½")			DS					SMBD	В				DS					S M I		

■ Ele	gancia														+		I	2) 22			W.	7	N. N. S.				3/1		
COLLE	CTION	SILVER GREY (SY)	MODERN Grey (Mg)	ENGLISH TEA (ET)	BRONZE (BZ)	SANDSTONE (SD)	TOBACCO (TO)	MADERA (MD)	CREMA (CM)	FJORD (FO)	FUEGO (FU)	KONA (KN)	SLATE (SL)	FUEGO (FU)	ROMA (RA)	SEPIA (SI)	TREMBLANT (TB)	JASPER (JP)	BLACK CHERRY (BY)	SUEDE (SU)	BROOKLINE (86)	PALOMINO (PO)	FUEGO (FU)	ENGLISH TEA (ET)	ACORN Brown (82)	MODERN Grey (Mg)	CONCRETE GREY (83)	VOLCANO Dust (VD)	GRIZZLY (85)
				WHI	TE ASH					WHIT	TE OAK					HIC	CKORY							YELLO	V BIRCH				
	atforms limensions		Grade			Glosses			Grades			Glosses			Grade			Glosses				Grades					Glosses		
00110	3 ¼" (¾")		DS		S	M B D	B		AT			S M B [B		AT			SM O				DS AT					SMI		
SOLID	4 ¼" (¾")		OS		S	M B D	B		AT)			S M B [B		AT			SMO				OS AT					SMI		
	5" (½")								AT)			S M B (B		AT			SMI											
	5" (¾")								AT)			S M B (B		AT			SMI											
ENGINEERED	6 ½" (½")								AT RQ			S M B [B		AT			SMI											
	6 ½" (¾")								AT RQ			S M B [B		AT			SMI											
	8 1/8" (3/4")								AT		+	S M B [
HERRINGBONE	5" x 18" (½")								DS			S M B 1	B																


Naked		CCC (Three		34						
COI	LECTION	NAKE	D (NK)	NAF	KED (NK)	NAKE	ED (NK)	NAKED (NK) AMERICAN WALNUT		
		HARD	MAPLE	WH	ITE OAK	HIC	KORY			
	atforms imensions	Grades	Glosses	Grades	Glosses	Grade	Glosses	Grade	Glosses	
COLID	3 ¼" (¾")	DS	M O	AT)	M B D B	AT)	MO			
SOLID	4 ¼" (¾")	03	MO	AT)	M B D B	AT)	MO			
	3 ¼" (½")	03	MO							
	5" (½")	03	MO	AT	M B D B	AT)	MO	A	M O	
ENGINEEDED	5" (¾")	DS	MO	AT	M B D B	AT	MO	A	MO	
ENGINEERED	6 ½" (½")	Aī	MO	AT RO	M B D B	AT	MO	A	MO	
	6 ½" (¾")	A	MO	AT RO	M B D B	AT	MO	A	MO	
	8 1/8" (3/4")	A	MO	AT)	M B I B					
HERRINGBONE	5" x 18" (½")	DS	MO	DS	MBOB					

Element		ELEMENT (EL)	TERRAIN (TR)	ELEMENT (EL) ORAGE (OR) WHITE OAK		ELEMEI		ELEMENT (EL) AMERICAN WALNUT	
		HARD	MAPLE	WHITE OAK		HICK	URY	AMERICAN WALNUT	
	atforms imensions	Grades	Gloss	Grades	Gloss	Grade	Gloss	Grade	Gloss
00110	3 ¼" (¾")	DS	M	Aī	M	Aī	M		
SOLID	4 ¼" (¾")	DS	M	AT	M	AT	M		
	3 ¼" (½")	DS	M						
	5" (½")	DS	M	AT	M	Aī	M	AT	M
	5" (¾")	DS	M	AT	M	AT	M	AT	M
ENGINEERED	6 ½" (½")	AT	M	AT	M	AT	M	AT	M
	6 ½" (¾")	AT	M	AT	M	AT	M	AT	M
	8 1/8" (3/4")	AT	M	AT	M				
HERRINGBONE	5" x 18" (½")	DS	M	DS	M				

Herringbone	HARD MAPLE	RED DAK	WHITE OAK
	HAND MAI LL	RED OAK	WHILE ONK
Boards dimensions		ctions shown on the collections below for available o	

Atmo	osphere			2 33				(1)	
		HAZE (HZ) BRE	EZE (BE) HUSH (HH)	HAZE (HZ)	BREEZE (BE)	HAZE (HZ) BREE	EZE (BE) HUSH (HH)	HUSH (HH)	WHISPER (WP)
		HARD MAPLE RED OAK HICKORY		WHITE OAK					
	atforms imensions	Grades	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses
COLID	3 ¼" (¾")	DS	M O	DS	M B I B	AT	M O	A	M B D B
SOLID	4 1/4" (3/4")	DS	M O	DS	M B I B	AT	M O	AT)	M B D B
	3 ¼" (½")	DS	M O	DS	M B I B				
	5" (½")	DS	M O	DS	M B I B	AT	M O	AT	M B D B
FNOINEEDED	5" (¾")	DS	M O	DS	M B I B	AT	M O	AT	M B D B
ENGINEERED	6 ½" (½")	AT	M O	AT	M B I B	AT	M O	AT RO	M B D B
	6 ½" (¾")	AI	M O	AT	M B D B	A	MO	AT RQ	M B D B
	8 1/8" (3/4")	AD	M O	AT	M B I B			AT	M B D B
HERRINGBONE	5" x 18" (½")	DS	M O	DS	MB OB			DS	MB DB

		(23)	D.C.D.	OAK			HADD	MAPLE	
PRO		NATURAL (00)	MOCCASIN (80)	BROOKLINE (86)	CONCRETE GREY (83)	ACORN BROWN (82)	GUNSTOCK CARBON GRIZ (12) (84) (8		
		MAPLE RED OAK		3520					





Solid or Engineered: Take your pick!

	SOLID (SOLID WOOD)	ENGINEERED (ENGINEERED WOOD)	MOLDINGS
NATURE OF MATERIAL	100% HARDWOOD	TOP LAYER: HARDWOOD, 4MM THICK BASE: HARDWOOD PLYWOOD	T-MOLDINGS, QUARTER ROUNDS, THRESHOLDS SUITABLE FOR SOLID AND ENGINEERED ½" & ¾"
SPECIAL FEATURES OF MATERIAL	100% SOLID WOOD NATURAL CHARM	UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES	11/2* 21/6*
TYPES OF INSTALLATIONS	NAILED AND STAPLED	NAILED, GLUED, STAPLED*, AND FLOATING	\frac{3\lambda^*}{3\lambda^*} \frac{3\lambda^*}{3\lambda^*}
INSTALLATION IN THE BASEMENT OR ON CONCRETE	NOT RECOMMENDED	POSSIBLE	REDUCERS SUITABLE FOR SOLID SUITABLE FOR AND FNGINFERED '%" FNGINFERED '%"
SANDING	YES: FROM 3 TO 5 TIMES	YES: FROM 3 TO 5 TIMES	AND ENGINEERED 3/4" ENGINEERED 1/2"
SPECIES	HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH	AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE OAK	STAIR NOSINGS SUITABLE FOR SOLID AND ENGINEERED ¾*
GRADE (ACCORDING TO THE SPECIES)	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC, R&Q	Round nosing Square nosing 4* 4 ¼*
THICKNESS AND WIDTH (ACCORDING TO THE SPECIES)	2 ¼" (57 MM) X ¾" (19 MM) 3 ¼" (83 MM) X ¾" (19 MM) 4 ¼" (108 MM) X ¾" (19 MM)	3 ¼* (83 MM) X ½* (12,7 MM) 5* (127 MM) X ½* (12,7 MM) 5* (127 MM) X ¾* (19 MM) 6 ½* (165 MM) X ½* (12,7 MM) 6 ½* (165 MM) X ¾* (19 MM) 8 ½* (206 MM) X ¾* (19 MM)	1º 2½° 1º 3½° SUITABLE FOR ENGINEERED ½°
LENGTH	RANDOM	RANDOM	Round nosing Square nosing
HERRINGBONE AVAILABILITY (Suitable for a Herringbone pattern installation only)	NOT AVAILABLE	5" (127 MM) X ½" (12,7 MM) LENGTH: 18" (45,7 CM) HARD MAPLE RED OAK WHITE OAK	76 4 1/4° 4 1/4° 4 1/4° 3 1/4° 3 1/4° 3 1/4°

^{*} REFER TO TECHNICAL BULLETIN # 9

It's all about the finish.



MERCIER GENERATIONS

An ultra-durable wood floor finish, Mercier Generations is perfect for a regular everyday use. The safest, healthiest choice for you and your family. This finish is available on all floors.



GENERATIONS INTACT 2500*

The ultimate in durability. Made with micro-fragmented aluminum particles, it can withstand harsher use in such environments as high-traffic spaces, or commercial applications. The hydrophobic molecules in the Generations Intact 2500 finish interlock with the wood cells for unmatched protection. This finish is available on all floors, with the exception of the Element and PRO collections.

Generations of ingenuity and performance

FEATURES	MERCIER GENERATIONS	GENERATIONS INTACT 2500
ANTIMICROBIAL TREATMENT The antimicrobial coating applied onto the surface of our finishes helps maintain excellent hygiene by reducing the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for hygienic and sanitary floors.	•	•
NON-YELLOWING Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it: • A UV screen against yellowing of the finish when exposed to natural or artificial lighting • A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs	•	•
HYPOALLERGENIC	•	•
STAIN RESISTANT	•	•
GREENGUARD CERTIFIED	•	•
DEGREE OF RESISTANCE The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish.	1,000 cycles Compared to 500 cycles from the competition	2,500 cycles Compared to 1,500 cycles from the competition
DURABILITY	Scratch-resistant	Anti-scratch The top layer being packed with micro-fragmented aluminum particles, it creates a multipoint contact surface that is much more resistant to the scratches caused by the frequent traffic in highly solicited spaces.
FLEXIBILITY	Flexible	Highly flexible
ANTI-PERFORATION	Perforation-resistant	Anti-perforation
WARRANTY Quite simply the best warranties in the industry	35 years for residential applications 5 years for light commercial applications 20 years for residential applications, PRO Collection	50 years for residential applications 3 years for commercial applications with direct outdoor access 10 years for light commercial applications

 $^{{}^{\}star}\text{Minimum quantities and upcharges apply. Please refer to the current Mercier Price List for more details.}$



CERTIFIED GREENGUARD GOLD, OUR WOOD FLOOR FINISHES ARE FREE FROM ANY HARMFUL CHEMICALS AND FORMALDEHYDE. THEY EMIT NO HARMFUL VOCS AND REDUCE THE PROLIFERATION OF MOLD AND BACTERIA. WITH MERCIER, CLIENTS' WELL-BEING COMES FIRST.

Packaging features

				BOXES		
	Board width	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
	2 1/4" (3/4")	20 sq. ft.	9 1/4"	84"	3 1/4"	57 lb
SOLID	3 1/4" (3/4")	22 sq. ft.	10"	87"	3 1/4"	60 lb
	4 1/4" (3/4")	19 sq. ft.	9 1/4"	84"	3 1/4"	55 lb
	3 1/4" (1/2")	33.6 sq. ft.	10"	87"	3 1/4"	67 lb
	5" (½")	33 sq. ft.	10"	87"	3 1/4"	62 lb
FNOINEEDED	5" (¾")	22 sq. ft.	10"	87"	3 1/4"	62 ½ lb
ENGINEERED -	6 ½" (½")	33 sq. ft.	6 ¾"	88"	4 ½"	66 lb
	6 ½" (¾")	22 sq. ft.	6 ¾"	88"	4 ½"	64 lb
	8 1/8" (3/4")	18 sq. ft.	8 ½"	88"	3 1/4"	53 lb
HERRINGBONE	5" x 18" (½")	25 sq. ft.	10"	87"	3 1/4"	47 lb

		PALLETS										
E	Board width	Number of boxes	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)					
	2 1/4" (3/4")	40	800 sq. ft.	38"	84"	36"	2 200 to 2 500 lb					
SOLID	3 1/4" (3/4")	40	880 sq. ft.	42"	87"	36"	2 200 to 3 000 lb					
	4 1/4" (3/4")	40	760 sq. ft.	38"	84"	36"	2 200 to 2 500 lb					
	3 1/4" (1/2")	40	1 344 sq. ft.	42"	87"	36"	2 700 to 3 000 lb					
•	5" (½")	40	1 320 sq. ft.	42"	87"	36"	2 700 to 3 000 lb					
FNOINFEDED	5" (¾")	40	880 sq. ft.	42"	87"	36"	2 700 to 3 000 lb					
ENGINEERED -	6 ½" (½")	42	1 386 sq. ft.	42"	88"	37"	2 400 to 2 800 lb					
	6 ½" (¾")	42	924 sq. ft.	42"	88"	37"	2 500 to 2 700 lb					
	8 1/8" (3/4")	50	900 sq. ft.	44"	88"	36"	2 300 to 2 500 lb					
HERRINGBONE	5" x 18" (½")	40	1 000 sq. ft.	42"	87"	36"	1 900 to 2 500 lb					

Update: February 15, 2021

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.

